



Analysis and assessment of the requirements on the performance of the equipment in case of temporary network conditions with voltages above U_m

October 2019

Analysis and Assessment of Requirements on the Capability of Power Equipment in the Case of Temporary System Conditions above U_m

(English translation of the study:
„Analyse und Bewertung der Anforderungen an das
Leistungsvermögen der Betriebsmittel im Falle von temporären
Netzzuständen mit Spannungen oberhalb U_m “)

Oktober 2019

Prof. Dr.-Ing. C. Neumann



Prof. Dr.-Ing. V. Hinrichsen



Analysis and assessment of requirements on the capability of power equipment in the case of temporary system conditions above U_m

Table of contents

Table of contents.....	4
Abbreviations and symbols.....	6
Summary.....	11
1. Introduction	11
2. Operation with voltages $>U_m$ from the perspective of the standards and guidelines	12
2.1. Terms and definitions given in the VDE standards	12
2.2. International and national network codes	13
3. Boundary conditions for operation at voltages $>U_m$: Operation at temporary overvoltages, duration, critical situations	15
3.1. Inspection and analysis of the empirical values in the case of transmission and distribution system operators	15
3.1.1. Transmission system operators.....	15
3.1.2. Distribution system operators	17
3.2. Scenarios for the occurrence of power frequency voltages $>U_m$	18
4. Fundamental design of equipment, testing requirements and boundary conditions assumed.....	22
5. Possible restrictions to the functionality of equipment in the case of operation with voltages $>U_m$.....	24
5.1. Overhead transmission lines	24
5.2. Outdoor substations	25
5.3. GIS substations.....	25
5.4. Switching devices.....	26
5.4.1. Circuit breakers, interrupting short-circuit currents	26
5.4.2. Circuit breakers, switching of capacitive currents	32
5.4.2.1. De-energising of transmission lines	32
5.4.2.2. Energising of transmission lines.....	35
5.4.3. Interruption of small inductive currents	36
5.4.3.1. Current chopping	36
5.4.3.2. Overvoltages	37
5.4.3.3. Transient recovery voltage.....	39
5.4.3.4. Re-ignitions.....	41
5.4.4. Disconnectors	41
5.4.4.1. GIS disconnectors	41
5.4.4.2. Outdoor disconnectors.....	42
5.5. Transformers.....	42

5.6. Reactors.....	44
5.7. Instrument transformers (Current and voltage transformers)	45
5.7.1. Accuracy	45
5.7.2. Ferro-resonances.....	45
5.8. Surge arresters	47
5.9. Cable systems.....	49
5.10. Summary of assessment.....	50
6. Impact of voltages > U_m on the long-term and ageing performance depending on the duration and frequency of occurrence	53
6.1. Scenario 1: Twice a week for 30 min each time stress with a temporary overvoltage of $1.05 \cdot U_m$ over a service life of 40 years	53
6.1.1. Overhead transmission lines	53
6.1.2. Outdoor substations	53
6.1.3. Switching device	53
6.1.4. GIS switchgear.....	54
6.1.5. Current and voltage transformers.....	56
6.1.6. Power transformers	56
6.1.7. Surge arresters	59
6.1.8. Cable systems.....	59
6.2. Summarized assessment of the service life of equipment in the 380 kV systems, as well as in 220 kV and 110 kV systems in the case of short-duration stress with $1.05 \cdot U_m$	68
6.3. Scenario 2: Possible ageing and/or reduction in service life due to temporary overvoltages of $1.025 \cdot U_m$ with longer stress durations	68
6.3.1. GIS switchgear.....	68
6.3.2. Power transformers	69
6.3.3. Cable systems.....	69
6.4. Summarized assessment of the service life of 420 kV equipment in the case of longer duration stress at 102.5% of the continuous permissible operating voltage	70
7. Conclusions and recommendations for action	71
8. References.....	69
Appendix: About the authors	72